TECHNICAL SPECIFICATION

RESPIRATORY PROTECTION

ONE OF THE LIGHTEST, MOST WELL BALANCED HALF FACE MASKS AVAILABLE

INSTRUCTIONS FOR USE

Place the respirator over the mouth and nose, then pull the harness over the crown of the head

Take the bottom straps in both hands, place them at the back of the neck and hook them together

Tighten the top straps first by pulling on ends to achieve a comfortable and secure fit

Tighten bottom straps using either front or rear adjustments (Strap tension may be decreased by pushing out on back side of buckles)

Perform a positive and/or negative pressure fit check

FACEPIECE:

Thermoplastic Elastomer
Padded for extra comfort over prolonged
use, and moulds to face shape for
excellent seal



Reflective strips create increased visibility in low-light environments for added safety



Force 8® Filters available with low profile angle design for minimal visual impairment





CLEANING & MAINTENANCE

Cleaning is recommended after each use. Remove the gas/vapour and/or particle filters

Clean the facepiece (excluding filters) by immersing in warm cleaning solution, water temperature not to exceed 50°c and scrub with soft brush until clean. Add neutral detergent if necessary. Do not use cleaners containing lanolin or other oils

Rinse in fresh, warm water and air dry in a non- contaminated atmosphere

Respirator components, especially exhalation valve and seat, should be inspected prior to each use. A respirator with any damaged or deteriorated components should be discarded

The cleaned respirator should be stored away from contaminated areas when not in use



CONFORMITY

Tested to the relevant European Standards (EN140, EN141, EN143, EN14387) and have met the requirements shown below:

Facepiece EN140

Filter Performance EN14387:2004

Filter Performance EN143:2000



TECHNICAL SPECIFICATION

RESPIRATORY PROTECTION

ONE OF THE LIGHTEST, MOST WELL BALANCED HALF FACE MASKS AVAILABLE

DIMENSIONS OF OUTER PACKAGING

Quantity: 1

Weight: 95g (Approx.)







DIMENSIONS OF RESPIRATOR

Weight without filters: 85g (Approx.)

Weight with filters: 355g (Approx.)

FACE FITTING

Respiratory protection is only effective if it is correctly selected, fitted and worn throughout the time when the wearer is exposed to respiratory contaminants



FILTER INFORMATION

HEIGHT:

| DESCRIPTION | FILTER | FILTER COLOUR | QTY |
|--|--------|------------------|-----|
| Force8® - 2 x F8-110 Organic Vapour Filter, Capacity 1 | A1 | | 80 |
| Force8® – 2 x F8–120 Organic Vapour Filter, Capacity 2 | A2 | | 80 |
| Force8® – 2 x F8–123 Organic Vapour & Dust Cartridge | A2P3 | | 80 |
| Force8® - 2 x F8-510 Organic & In-Organic Cartridge | AB1 | | 80 |
| Force8® – 2 x F8-710 Combination Vapour Cartridge | ABEK2 | | 80 |
| Force8® - 2 x 003 Dust Cartridge | P3 | | 80 |

LIMITATIONS OF USE

These respirators do not supply oxygen Do not use in oxygen deficient atmospheres

Do not use for respiratory protection against atmospheric contaminants which have poor warning properties, are unknown or immediately dangerous to life and health or against chemicals which generate high heats of reaction with chemical filters

Do not modify or alter this device

The assembled respirator may not provide a satisfactory face seal with certain physical characteristics (such as beards or large side burns) resulting in leakage between the facepiece and the face, the under assumes all risks of bodily injury which may possibly result

Do not use with unknown concentrations of contaminants

Use strictly in accordance with face piece and filter instruction leaflet